

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830



ANCHOR B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : ANCHOR B
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Sealant
Hardener

1.2.2 Uses advised against

No uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

TEC7*
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@tec7.be
*TEC7 is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@tec7.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Skin Sens.	category 1	H317: May cause an allergic skin reaction.
Eye Irrit.	category 2	H319: Causes serious eye irritation.

2.2. Label elements



Contains: dibenzoyl peroxide.

Signal word Warning

H-statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

P-statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves, protective clothing and eye protection/face protection.
P264 Wash hands thoroughly after handling.
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

ANCHOR B

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
dibenzoyl peroxide 01-2119511472-50	94-36-0 202-327-6	10%≤C<15%	Org. Perox. B; H241 Skin Sens. 1; H317 Eye Irrit. 2; H319	(1)(2)	Constituent
quartz (SiO ₂)	14808-60-7 238-878-4	1%≤C<5%	STOT RE 1; H372	(5)(1)(2)	Constituent

(1) For H-statements in full: see heading 16

(2) Substance with a Community workplace exposure limit

(5) This component is physically bound in the product

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Wash immediately with lots of water. Do not apply (chemical) neutralizing agents. Soap may be used. Take victim to a doctor if irritation persists.

After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

Irritation of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO₂ extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO₂ are formed.

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

2 / 10

ANCHOR B

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective goggles. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective goggles. Protective clothing.

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed. Remove contaminated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 25 °C. Store in a cool area. Store in a dry area. Store in a dark area. Keep container in a well-ventilated place. Fireproof storeroom. Keep only in the original container. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, oxidizing agents, water/moisture.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Peroxyde de dibenzoyl	Time-weighted average exposure limit 8 h	5 mg/m ³
-----------------------	--	---------------------

France

Peroxyde de dibenzoyl	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	5 mg/m ³
-----------------------	--	---------------------

Germany

Dibenzoylperoxid	Time-weighted average exposure limit 8 h (TRGS 900)	5 mg/m ³
------------------	---	---------------------

UK

Dibenzoyl peroxide	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	5 mg/m ³
--------------------	---	---------------------

USA (TLV-ACGIH)

Benzoyl peroxide	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m ³
------------------	--	---------------------

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

3 / 10

ANCHOR B

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Benzoyl Peroxide	NIOSH	5009

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 DNEL/PNEC values

DNEL/DMEL - Workers

dibenzoyl peroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects dermal	6.6 mg/kg bw/day	
	Long-term systemic effects inhalation	11.75 mg/m ³	

DNEL/DMEL - General population

dibenzoyl peroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects dermal	3.3 mg/kg bw/day	
	Long-term systemic effects inhalation	2.9 mg/m ³	
	Long-term systemic effects oral	1.65 mg/kg bw/day	

PNEC

dibenzoyl peroxide

Compartments	Value	Remark
Fresh water	0.602 µg/l	
Marine water	0.0602 µg/l	
Aqua (intermittent releases)	0.602 µg/l	
STP	0.35 mg/l	
Fresh water sediment	0.338 mg/kg sediment dw	
Marine water sediment	0.0338 mg/kg sediment dw	
Soil	0.0758 mg/kg soil dw	
Oral	6.67 mg/kg food	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Keep container tightly closed. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Gloves.

Materials	Breakthrough time	Thickness
nitrile rubber	> 480 minutes	0.5 mm

- materials (good resistance)

Nitrile rubber, butyl rubber.

c) Eye protection:

Protective goggles.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Odour	Characteristic odour
Odour threshold	No data available
Colour	Black
Particle size	Not applicable (liquid)
Explosion limits	No data available
Flammability	Non-flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

4 / 10

ANCHOR B

Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	No data available
Solubility	Water ; insoluble
Relative density	1.59 ; 20 °C
Decomposition temperature	No data available
Auto-ignition temperature	No data available
Flash point	Not applicable
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	No data available

9.2. Other information

SADT	> 60 °C
------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with (strong) oxidizers.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, water/moisture.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

ANCHOR B

No (test)data on the mixture available

Judgement is based on the relevant ingredients

dibenzoyl peroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male)	Weight of evidence	
Inhalation (dust)	LC0	Equivalent to OECD 403	24.3 mg/m ³ air	4 h	Rat (male)	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

ANCHOR B

No (test)data on the mixture available

Classification is based on the relevant ingredients

dibenzoyl peroxide

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Moderately irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Expert judgement	
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 72 hours	Rabbit	Experimental value	

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

5 / 10

ANCHOR B

Conclusion

Causes serious eye irritation.
Not classified as irritating to the skin
Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

ANCHOR B

No (test)data on the mixture available
Classification is based on the relevant ingredients
dibenzoyl peroxide

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	Equivalent to OECD 429	3 day(s)		Mouse (female)	Experimental value	

Conclusion

May cause an allergic skin reaction.
Not classified as sensitizing for inhalation

Specific target organ toxicity

ANCHOR B

No (test)data on the mixture available
Because of the form in which the mixture is placed on the market, the risk by inhalation is negligible
dibenzoyl peroxide

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral	NOEL	OECD 422	500 mg/kg bw/day		No effect		Rat (male)	Experimental value
Oral	NOEL	OECD 422	1000 mg/kg bw/day		No effect		Rat (female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

ANCHOR B

No (test)data on the mixture available
dibenzoyl peroxide

Result	Method	Test substrate	Effect	Value determination
Negative	OECD 476	Mouse (lymphoma L5178Y cells)	No effect	Experimental value
Negative	Ames test	Bacteria (S.typhimurium)	No effect	Experimental value

Mutagenicity (in vivo)

ANCHOR B

No (test)data on the mixture available
Judgement is based on the relevant ingredients
dibenzoyl peroxide

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative		8 week(s)	Mouse (male/female)		Experimental value

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

ANCHOR B

No (test)data on the mixture available
Judgement is based on the relevant ingredients
dibenzoyl peroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Dermal	NOEL	Carcinogenic toxicity study	40 mg/animal	2 year(s)	Mouse (male/female)	No effect		Weight of evidence
Oral	NOAEL	Not determined	2800 mg/kg bw/day	120 week(s)	Rat (male/female)	No adverse systemic effects		Weight of evidence
Oral	NOAEL	Not determined	2800 mg/kg bw/day	80 week(s)	Mouse (male/female)	No adverse systemic effects		Weight of evidence

Conclusion

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

6 / 10

ANCHOR B

Not classified for carcinogenicity

Reproductive toxicity

ANCHOR B

No (test) data on the mixture available

Judgement is based on the relevant ingredients

dibenzoyl peroxide

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL (F1)	OECD 422	500 mg/kg bw/day		Rat (male/female)	No effect		Experimental value
Effects on fertility	NOAEL (P)	OECD 422	1000 mg/kg bw/day		Rat (male/female)	No effect		Experimental value

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

ANCHOR B

No (test) data on the mixture available

Chronic effects from short and long-term exposure

ANCHOR B

Skin rash/inflammation.

SECTION 12: Ecological information

12.1. Toxicity

ANCHOR B

No (test) data on the mixture available

Judgement of the mixture is based on the relevant ingredients

dibenzoyl peroxide

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	0.0602 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value
Acute toxicity crustacea	EC50	OECD 202	0.11 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	NOEC	OECD 201	0.0711 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value
	NOEC	OECD 201	0.02 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Toxicity aquatic micro-organisms	EC50	OECD 209	35 mg/l	30 minutes	Activated sludge	Static system	Fresh water	Experimental value

Classification and labelling do not correspond to those of Annex VI

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

dibenzoyl peroxide

Biodegradation water

Method	Value	Duration	Value determination
OECD 301D: Closed Bottle Test	68 %	28 day(s)	Experimental value

Half-life water (t1/2 water)

Method	Value	Primary degradation/mineralisation	Value determination
OECD 111: Hydrolysis as a function of pH	5 h	Primary degradation	Experimental value

Conclusion

Does not contain any not readily biodegradable component(s)

12.3. Bioaccumulative potential

ANCHOR B

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

7 / 10

ANCHOR B

dibenzoyl peroxide

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		3.2	22 °C	Experimental value

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

dibenzoyl peroxide

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	3.8	Experimental value

Conclusion

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Other adverse effects

ANCHOR B

Fluorinated greenhouse gases (Regulation (EU) No 517/2014)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

8 / 10

ANCHOR B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
4.3 %	

National legislation Belgium

ANCHOR B

No data available

National legislation The Netherlands

ANCHOR B

Waterbezwaarlijkheid	B (3)
----------------------	-------

National legislation France

ANCHOR B

No data available

National legislation Germany

ANCHOR B

WGK	1; Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
-----	---

dibenzoyl peroxide

TA-Luft	5.2.5; I
---------	----------

National legislation United Kingdom

ANCHOR B

No data available

Other relevant data

ANCHOR B

No data available

dibenzoyl peroxide

TLV - Carcinogen	Benzoyl peroxide; A4
IARC - classification	3; Benzoyl peroxide

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H-statements referred to under heading 3:

- H241 Heating may cause a fire or explosion.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

(*)	INTERNAL CLASSIFICATION BY BIG
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the

Reason for revision: 3

Publication date: 2007-09-24

Date of revision: 2018-02-12

Revision number: 0501

Product number: 45229

9 / 10

ANCHOR B

safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.